


The Bridge Handle with a newly designed length



LAUNCH

01 Requirements

“Bridge handles are used in a wide variety of applications which require an optimal design for easy operation.

Therefore, we developed a sleek, new design with an extra-long handle to provide the ultimate level of comfort and convenience for the user.”

Tobias Söhnchen, Junior Product Manager



02 Product benefits

The Bridge Handle for vertical and horizontal applications

Optimal handle length – easy to use

- Closed design
- Resistant to dirt and easy to clean due to slanted surfaces and rounded edges
- Fastening screws are covered by plugs which are assembled without tools

Durable design for every application


- Corrosion-resistant
- Painted surface
- Ribbing on the underside
- Fastening with cylinder head screws M8



03 Dimensions / Order options

RoHS
WEEE

Material

Handle and plug: PA, silver-grey (RAL 7001) or black matte



Product system	Description	Installation type	L	H	Version	Part number	Link
6-1000.01	Bridge Handle, silver-grey	screw-on	200	60	silver-grey, for cylinder head screws M8	352-2151.03-00000	
6-1000.01	Bridge Handle, black matte	screw-on	200	60	black matte, for cylinder head screws M8	352-2151.03-00001	

Contact



DIRAK GmbH –
A Member of DIRAK Group

DIRAK Dieter Ramsauer
Konstruktionselemente GmbH
Königsfelder Straße 1
58256 Ennepetal
Germany

Phone: +49 (0) 2333 / 837-0

Fax: +49 (0) 2333 / 837-103

Email: info@dirak.de

Imprint

DIRAK Dieter Ramsauer
Konstruktionselemente GmbH
Königsfelder Straße 1
58256 Ennepetal
Germany

Phone: +49 (0) 2333 / 837-0
Fax: +49 (0) 2333 / 837-103
Email: info@dirak.de

Represented by:
Jens Boche

Entered in the trade register
Commercial Register AG Hagen,
HRB 7977
Sales Tax ID Number (VAT No.)
DE 261 585 314
Last update: June 2023