
LAUNCH

Open and close large doors with ease: Our stable PA hinges



01 Requirements

Our mission: to achieve a high level of stability with light hinges that have the right price-performance ratio.

Our solution: hinges made of PA featuring a high degree of strength, top corrosion resistance and a process-optimized manufacturing process.

Matthias Westbrock, Sales Area Manager



02 Product benefits

Three PA hinges that are highly stable and easy to use

- For nested doors
- Hinge visible
- RH / LH application
- 180° opening angle
- Low weight
- Corrosion resistant

4-401

- High load capacity due to stainless steel pin
- Fastening with countersunk screw M8



4-402

- High load capacity due to stainless steel pin
- Fastening with countersunk screw M5
- Lift-off



4-400

- High load capacity due to implementation with six knuckles
- Captive pin protected against loosening and falling out
- Rounded corners
- Fastening with countersunk screw M6




03 Dimensions / Order options

Material

Hinge: PA, black
Pin 4-401/4-402: Stainless steel
Pin 4-400: PA, black

Hinge removable only 4-402



Order Options:

Product system	Description	Version	Part number	Pin version	Installation type	Link
4-402	Hinge PA, 74 x 60 Pr01 180°	right	218-9425.00-00000	Stainless steel	Screw-on	
4-402	Hinge PA, 74 x 60 Pr01 180°	left	218-9426.00-00000	Stainless steel	Screw-on	
4-401	Hinge PA, 60 x 60 Pr01 180°	right / left	218-9241.00-00000	Stainless steel	Screw-on	
4-400	Hinge PA, 60 x 40 Pr01 180°	right / left	218-9220.00-00000	Molded-in, PA	Screw-on	

Contact

DIRAK GmbH –
A Member of DIRAK Group

DIRAK Dieter Ramsauer
Konstruktionselemente GmbH
Königsfelder Straße 1
58256 Ennepetal
Germany

Phone: +49 (0) 2333 / 837-0
Fax: +49 (0) 2333 / 837-103
Email: info@dirak.de

Imprint

DIRAK Dieter Ramsauer
Konstruktionselemente GmbH
Königsfelder Straße 1
58256 Ennepetal
Germany

Phone: +49 (0) 2333 / 837-0
Fax: +49 (0) 2333 / 837-103
Email: info@dirak.de

Represented by:
Jens Boche

Entered in the trade register
Commercial Register AG Hagen,
HRB 7977
Sales Tax ID Number (VAT No.)
DE 261 585 314
Last update: June 2023