

DST Fastener 30×10 Stainless Steel –
has one fixed side and one removable side
for outdoor applications



01 Requirements

Precise fit, flexibility, convenience, and easy installation are now possible, even in outdoor environments.

The DST Fastener 30×10 Stainless Steel was developed for applications that need to be permanently fixed on one-side and easily removable on the other.

Jan Rossa, Sales Area Manager



02 Product Benefits



Flexible use and convenient operation – even in applications that are difficult to access

The DST fastener enables flush mounted installation and can even be used in blind panel applications. A wide clamping range allows for a precise fit in sheet metal thicknesses of 0.8 – 3 mm. Stainless steel construction allows the fastener to be used in outdoor environments.

- The DIRAK-SNAP-Technology fastener has one fixed side and one removable side
- Designed for a 30x10mm cutout
- The width of the cutout can be enlarged for adjustability in the mounting position
- Clamping range 0.8 – 3mm
- Pull-off force of approximately 50N
- Can be assembled in closed profiles
- Multiple types of mounting hardware can be used, such as countersunk screws
- The fastener can be installed in a recessed mounting position for flush applications

03 Dimensions / Order Options




Materials


Fastener and snap wedges: stainless steel AISI 304

Notes

F=Pull-off force

1. Cutout for removable side
2. i.e. Sheet metal
3. i.e. Wood



Product System	Version	Pull-off Force	Clamping Range	Installation Type	Countersunk Screws	Part Number	Link
7-913DST	one removable side	~50N	0.8 – 3.0 mm	tool-less/ screw-on	for Ø 4,5 mm hole diameter	295-9003.00-00005	

Contact



DIRAK GmbH –
A Member of DIRAK Group

DIRAK Dieter Ramsauer
Konstruktionselemente GmbH
Königsfelder Straße 1
58256 Ennepetal
Germany

Phone: +49 (0) 2333 / 837-0

Fax: +49 (0) 2333 / 837-103

Email: info@dirak.de

Imprint

DIRAK Dieter Ramsauer
Konstruktionselemente GmbH
Königsfelder Straße 1
58256 Ennepetal
Germany

Phone: +49 (0) 2333 / 837-0
Fax: +49 (0) 2333 / 837-103
Email: info@dirak.de

Represented by:
Jens Boche

Entered in the trade register
Commercial Register AG Hagen,
HRB 7977
Sales Tax ID Number (VAT No.)
DE 261 585 314
Last update: June 2023